Practitioner's Docket No. \_

55,595 (45107)



PRIORITY DATE CLAIMED



#### TRANSMITTAL LETTER TO THE UNITED STATES ELECTED OFFICE (EO/US)

#### (ENTRY INTO U.S. NATIONAL PHASE UNDER CHAPTER II)

INTERNATIONAL FILING DATE

PCT/DE99/02406 / August 2, 1999 -August 7, 1998.

METHOD AND ARRANGEMENT FOR MOTION ESTIMATION IN A DIGITIZED PICTURE HAVING PIXELS

TITLE OF INVENTION

Jürgen PANDEL: Gero BÄSE: Norbert ÖRTEI APPLICANT(S)

Box PCT **Assistant Commissioner for Patents** Washington D.C. 20231 ATTENTION: EO/US

INTERNATIONAL APPLICATION NO.

NOTE. To avoid abandonment of the application, the applicant shall furnish to the USPTO, not later than 20 months from the priority date: (1) a copy of the international application, unless it has been previously communicated by the International Bureau or unless it was originally filed in the USPTO; and (2) the basic national fee (see 37 C.F.R. § 1.492(a)). The 30-month time limit may not be extended. 37 C.F.R. & 1.495.

#### CERTIFICATION UNDER 37 C.F.R. 1.10\*

(Express Mail label number is mandatory.) (Express Mail certification is optional.)

I hereby certify that this correspondence and the documents referred to as attached therein are being deposited with the United States Postal Service on this date .February 6, 2001 ..., in an envelope as "Express Mail Post Office to Addressee," Mailing Label Number EL196831827US, addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231.

WARNING:

Certificate of mailing (first class) or facsimile transmission procedures of 37 C.F.R. 1.8 cannot be used to obtain a date of mailing or transmission for this correspondence.

\*WARNING:

Each paper or fee filed by "Express Mail" must have the number of the "Express Mail" mailing label placed thereon prior to mailing, 37 C.F.R. 1.10(b).

"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will not be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.

(Transmittal Letter to the United States Elected Office (EO/US)-page 1 of 8)

DS/SPEEDS D/DS/DS

### JC02 Rec'd PCT/PTO 0 6 FEB 2001

WARNING:

Where the tiems are those which can be submitted to complete the entry of the international application into the national phase are subsequent to 30 months from the priority date the application is still considered to be in the international state and if mailing procedures are sultised to obtain a date the express mail procedure of 37 C.F.R. §1.10 must be used (since international application papers are not covered by an ordinary certificate of mailing. See 37 C.F.R. §1.05.

- NOTE: Documents and fees must be clearly identified as a submission to enter the national state under 35 USC 371 otherwise the submission will be considered as being made under 35 USC 111. 37 C.F.R. § 1.494(f).
- Applicant herewith submits to the United States Elected Office (EO/US) the following items under 35 U.S.C. 371:
  - a. [X] This express request to immediately begin national examination procedures (35 U.S.C. 371(f)).
  - The U.S. National Fee (35 U.S.C. 371(c)(1)) and other fees (37 C.F.R. § 1.492) as indicated below:

#### 2.Fees

CLAIMS FEE	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULA- TIONS
[]	TOTAL CLAIMS	10 -20=		x \$18.00 =	\$0
	INDEPENDENT CLAIMS	2 -3=		x \$ 78.00 =	0
	MULTIPLE DEPE	NDENT CLAIM(S) (if	applicable) + \$260.00		260.00
BASIC FEE**	AUTHO Where as has been  []  [X]  U.S. PIY EXAMD Where n in § 1.48	the criteria of novelty, inventive step (non-obviousness) and industrial activity, as defined in PCT Article 33(2) to (4) have been satisfied for all the claims presented in the application entering the national stage (37 CFR 1.492(a)(1))			\$ 840.00
			Total of	above Calculations	=\$ 1110.00
SMALL ENTITY	Reduction by $\frac{1}{2}$ for filing by small entity, if applicable. Affidavit must be filed. (note 37 CFR 1.9, 1.27, 1.28)				-
	Subtotal				\$ 1110.00
				Total National Fee	\$
	Fee for recording the enclosed assignment document \$40.00 (37 CFR 1.21(h)). (See Item 13 below). See attached "ASSIGNMENT COVER SHEET".				
TOTAL				Total Fees enclosed	\$ 1110.00

		i. ii.	[ ] Pl	check in the amount of \$1110.00 cover the above fees is enclosed.  ease charge Account No in the amount of \$  e copy of this sheet is enclosed.	
**WARNING:		"To avoid abandonment of the application the applicant shall furnish to the United States Patent and Trademark Office not later than the expiration of 30 months from the priority date: * * * (2) the basic national fee (see § 1.492(a)). The 30-month time limit may not be extended." 37 C.F.R. § 1.495(b).			
	WARNIN	NG:	submitted by met within a forth in § 1.4 months after acceptance of comply with	ution of the international application and/or the oath or declaration have not been the applicant within thiry (30) months from the priority date, such requirements may be time period set by the Office, 37 C.F.R. § 1.495(6). The payment of the surcharge set 992(e) is required as a condition for accepting the oath or declaration later than thirty (3 the priority date. The payment of the processing fee set forth in § 1.492(f) is required for an English translation later than thirty (30) months after the priority date. Failure to these requirements will result in abandanement of the application. The provisions of § 1.13 period which is set. Notice of Jan. 3, 1993, 1147 O.G. 29 to 40.	
	3.	[X]	A copy of	the International application as filed (35 U.S.C. 371(c)(2)):	
	NOTE:	must be Bureau 20. At th accorda the com- normall	filed with the ( normally provi e same time, the nce with PCT, nunication has r need only che tional fee by 3	amended to require that the basic national fee and a copy of the international application Office by 30 months from the priority date to avoid abandonment "The International dets the copy of the international application to the Office in accordance with PCT Article the International Bureau notifies applicant of the communication to the Office. In Rule 47.1, that notice shall be accepted by all designated offices as conclusive evidence th duly taken place. Thus, if the applicant desires to enter the national stage, the applicant ack to be sure the notice from the International Bureau has been received and then pay the 0 months from the priority date. "Notice of Jan. 7, 1993, 1147 O.G. 29 to 40, at 35-36. Se	
		a. b.	[ ] is	transmitted herewith. not required, as the application was filed with the United States Receiving ffice.	
		c.	[] ha	s been transmitted    by the International Bureau. tate of mailing of the application (from form PCT/IB/308):   by applicant on	
				Date	
	4.	[X]	371(c)(2)) [X] is	transmitted herewith.	
		ь. с.		not required as the application was filed in English.  Is previously transmitted by applicant on  Date	
		d.	[ ] wi	Il follow.	

### 09/762408 JC02 Rec'd PCT/PTO 06 FEB 2001

5.	[X ]	Amendments to the claims of the International application under PCT Article 19 (35 U.S.C. $371(e)(3)$ ):
NOTE:	continu this dea the subj amendn	tice of January 7, 1993 points out that 37 C.F.R. § 1.495(a) was amended to clarify the existing and ing practice that PCT Article 19 amendments must be submitted by 30 months from the priority date and dillne may not be extended. The Notice further advises that: "The failure to do so with our result in loss of eet matter of the PCT Article 19 amendments. Applicant may submit that subject matter in a preliminary near filed under section 1.12.1 in many cases, filing an amendment under section 1.121 is preferable since stical or idiomatic errors may be corrected." 1147 O.G. 29-40, at 36.
	a. b.	[] are transmitted herewith. [] have been transmitted i. [] by the International Bureau. Date of mailing of the amendment (from form PCT/IB/308): ii. [] by applicant on
	c.	Date
6.	[X] a. b. c.	A translation of the amendments to the claims under PCT Article 19 (38 U.S.C. $371(c)(3)$ ):  [ ] is transmitted herewith. [ ] is not required as the amendments were made in the English language. [ X ] has not been transmitted for reasons indicated at point $5(c)$ above.
7.	[X]	A copy of the international examination report (PCT/IPEA/409)  [X ] is transmitted herewith.  [] is not required as the application was filed with the United States Receiving Office.
8.	[X ] a. b.	Annex(es) to the international preliminary examination report  [X] is/are transmitted herewith.  [] is/are not required as the application was filed with the United States Receiving Office.
9.	[ X ] a. b.	A translation of the annexes to the international preliminary examination report  [X] is transmitted herewith.  [] is not required as the annexes are in the English language.
10.	[X] a.	An oath or declaration of the inventor (35 U.S.C. 371(c)(4)) complying with 35 U.S.C. 115 [ ] was previously submitted by applicant on  Date
	b.	is submitted herewith, and such oath or declaration i. sattached to the application.

(Transmittal Letter to the United States Elected Office (EO/US)-page 5 of 8)

### JC02 Rec'd PCT/PTO 0 6 FEB 2001

		ii.	[]	identifies the application and any amendments under PCT Article 19 that were transmitted as stated in points 3(b) or 3(c) and 5(b); and states that they were reviewed by the inventor as required by 37 C.F.R. 1.70.
		iii.	[X]	will follow.
Other	docume	nt(s) or	informa	tion included:
11.	[X]	17(2)(	(a):	nal Search Report (PCT/ISA/210) or Declaration under PCT Article
	a.	[X]		nsmitted herewith.
	b.	[]	Dota	een transmitted by the International Bureau. of mailing (from form PCT/IB/308):
	c.	[]	Intern	required, as the application was searched by the United States national Searching Authority.
	d.	[ ]	will b	ne transmitted promptly upon request. een submitted by applicant on
	e.	[]	nas o	Date
12.	[X]		formation	on Disclosure Statement under 37 C.F.R. 1.97 and 1.98:
	a.	[X]		nsmitted herewith.
		C 3/1		transmitted herewith is/are: pTO-1449 (PTO/SB/08A and 08B).
		[ X] [ X]	Conie	es of citations listed.
	b.		will b	be transmitted within THREE MONTHS of the date of submission of trements under 35 U.S.C. 371(c).
	c.	[]	was p	previously submitted by applicant on
				Date
13.	[]	An as	signme	nt document is transmitted herewith for recording.
	A sep	arate []	"COVI	ER SHEET FOR ASSIGNMENT (DOCUMENT) ACCOMPANYING NEW PATENT APPLICATION" or[ ] FORM PTO 1595 is also attached.
		_		
14.	[X]	A ddii	tional de	ocuments:
14.	a.	[X]	Copy	y of request (PCT/RO/101)
	b.	[X]	Inter	national Publication No. WO 00/08601
		i.	[X]	
		ii.	[]	Front page only
	c.	[ X]		minary amendment (37 C.F.R. § 1.121)
	d.	[X]		
		Form	PCT/II	B/306; Form PCT/IB/306; Form PCT/IB/304
15.	[X]	The a	above cl	hecked items are being transmitted
	a.	[X]	befor	re 30 months from any claimed priority date.
	b.	[]	after	: 30 months.
				(Transmittal Letter to the United States Elected Office (EO/US)page 6 of 8)

16.	[]	Certain requirements under 35 U.S.C. 371 were previously submitted by the applicant on, namely:

#### AUTHORIZATION TO CHARGE ADDITIONAL FEES

- Accurately count claims, especially multiple dependent claims, to avoid unexpected high charges if extra WARNING: claims are authorized.
- "A written request may be submitted in an application that is an authorization to treat any concurrent or future reply, requiring a petition for an extension of time under this paragraph for its timely submission, as incorporating a petition for extension of time for the appropriate length of time. An authorization to charge all required fees, fees under § 1.17, or all required extension of time fees will be treated as a constructive petition for an extension of time in any concurrent or future reply requiring a petition for an extension of time under this paragraph for its timely submission. Submission of the fee set forth in § 1.17(a) will also be treated as a constructive petition for an extension of time in any concurrent reply requiring a petition for an extension of time under this paragraph for its timely submission." 37 C.F.R. § 1.136(a)(3).
- NOTE: "Amounts of twenty-five dollars or less will not be returned unless specifically requested within a reasonable time, nor will the payer be notified of such amounts; amounts over twenty-five dollars may be returned by check or, if requested, by credit to a deposit account." 37 C.F.R. § 1.26(a).
  - [X] The Commissioner is hereby authorized to charge the following additional fees that may be required by this paper and during the entire pendency of this application to Account No. \_\_\_.
    - 37 C.F.R. 1.492(a)(1), (2), (3), and (4) (filing fees)
- WARNING:

Because failure to pay the national fee within 30 months without extension (37 C.F.R. § 1.495(b)(2)) results in abandonment of the application, it would be best to always check the above box.

- [X] 37 C.F.R. 1.492(b), (c) and (d) (presentation of extra claims)
- NOTE: Because additional fees for excess or multiple dependent claims not paid on filing or on later presentation must only be paid or these claims cancelled by amendment prior to the expiration of the time period set for response by the PTO in any notice of fee deficiency (37 C.F.R. § 1.492(d)), it might be best not to authorize the PTO to charge additional claim fees, except possible when dealing with amendments after final action.
  - [ X ] 37 C.F.R. 1.17 (application processing fees)
  - 37 C.F.R. 1.17(a)(1)-(5)(extension fees pursuant to § 1.136(a).
  - 37 C.F.R. 1.18 (issue fee at or before mailing of Notice of Allowance, [] pursuant to 37 C.F.R. 1.311(b))
- NOTE: Where an authorization to charge the issue fee to a deposit account has been filed before the mailing of a Notice of Allowance, the issue fee will be automatically charged to the deposit account at the time of mailing the notice of allowance. 37 C.F.R. § 1.311(b).
- NOTE: 37 C.F.R. 1.28(b) requires "Notification of any change in loss of entitlement to small entity status must be filed in

(Transmittal Letter to the United States Elected Office (EO/US)-page 7 of 8)

the application . . . prior to paying, or at the time of paying . . . issue fee. "From the wording of 37 C.F.R. \$ 1.28(b): (a) notification of change of status must be made even if the fee i paid as "other than a small entity" and (b) no notification is required if the change is to another small entity.

 37 C.F.R. § 1.492(e) and (f) (surcharge fees for filing the declaration and/or filing an English translation of an International Application later than 30

months after the priority date).

SIGNATURE OF PRACTITIONER

Reg. No.: 33,860 Peter F. Corless
(type or print name of practitioner)

Dike, Bronstein, Roberts & Cushman Intellectual Property Practice Group EDWARDS & ANGELL, LLP 130 Water Street

P.O. Address

Boston, MA 02109

Tel. No.: (617) 523-3400

Customer No.: 21874

162238

Express Mail Label No. EL196831827 US

09/762408 JC02 Rec'd PCT/PTO 06 FFB 2001

Docket No. 49273

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Jürgen Pandel; Gero Bäse; and Norbert Örtel

Express Mail Label No.: EL196831827US

METHOD AND ARRANGEMENT FOR MOTION ESTIMATION IN A

DIGITIZED PICTURE HAVING PIXELS

Assistant Commissioner For Patents Washington, D.C. 20231

Sir:

For:

#### PRELIMINARY AMENDMENT

Applicants file herewith the above application. Please amend the application as follows.

#### IN THE CLAIMS

Please cancel claims 1-10 without prejudice.

Please add the following new claims.

 A method for motion estimation in a digitized image having pixels, comprising: grouping pixels in picture blocks,

in which the pixels are grouped to form at least one first picture area and one second picture area;

wherein first motion estimation is carried out in a first search area for at least one picture block in the first picture area to determine a first motion vector whereby movement of the first picture block is described in comparison to the first picture block in a preceding predecessor picture and/or in comparison to the first picture block in a subsequent successor picture;

wherein second motion estimation is carried out in a second search area for at least one second picture block in the second search area to determine a second motion vector whereby movement of the second picture block is described in comparison to the second picture block in a preceding predecessor picture and/or in comparison to the second picture block in a subsequent successor picture;

J. Pandel et al. Page 2

wherein the first search area and the second search area are of different sizes; and wherein the size of the first search area and/or of the second search area is varied as a function of a predetermined picture quality, whereby the first picture block and/or the second picture block are/is coded.

- 12. The method of claim 11 wherein the size of the first search area and/or of the second search area are/is varied as a function of a quantization parameter whereby the first picture block and/or the second picture block are/is quantized.
  - 13. The method of claim 11 used for coding the digitized picture.
- 14. The method of claim 13 wherein variable length coding of the motion vectors is carried out; and a number of stored, different tables, in which codes for variable length coding are stored, are used for variable length coding.
- 15. The method of claim 14 wherein the tables are matched to the maximum length of the motion vectors.
- 16. An arrangement for motion estimation in a digitized image having pixels, comprising:

a processor which is set up such that the following steps can be carried out: the pixels are grouped in picture blocks;

the pixels are grouped to form at least one first picture area and one second picture area; first motion estimation is carried out in a first search area for at least one picture block in the first picture area to determine a first motion vector whereby movement of the first picture block is described in comparison to the first picture block in a preceding predecessor picture and/or in comparison to the first picture block in a subsequent successor picture;

second motion estimation is carried out in a second search area for at least one second picture block in the second search area to determine a second motion vector whereby movement of the second picture block is described in comparison to the second picture block in a preceding predecessor picture and/or in comparison to the second picture block in a subsequent successor picture:

in which the first search area and the second search area are of different sizes; and in which the size of the first search area and/or of the second search area is varied as a function of a predetermined picture quality, whereby the first picture block and/or the second picture block are/is coded.

- 17. The arrangement of claim 16 wherein the processor is set up such that the size of the first search area and/or of the second search area are/is varied as a function of a quantization parameter whereby the first picture block and/or the second picture block are/is quantized.
  - 18. The arrangement of claim 16 used in a picture coding device.
  - 19. The arrangement of claim 16, used in a picture coding device,

wherein the processor is set up such that, variable length coding of the motion vectors is carried out; and a number of stored, different tables, in which codes for variable length coding are stored, are used for variable length coding.

20. The arrangement of claim 19 wherein the processor is set up such that the tables are matched to the maximum length of the motion vectors.

#### REMARKS

Claims 1-10 have been cancelled without prejudice, and claims 11-20 have been added.

The new claims merely conform to matters of form of U.S. practice.

Respectfully submitted,

Peter F. Corless (Reg. 33,860) EDWARDS & ANGELL, LLP

Dike, Bronstein, Roberts & Cushman IP Group

130 Water Street Boston, MA 02109

Tel 617-523-3400

Fax 617-523-6440

Description

5

1.0

15

Method and arrangement for motion estimation in a digitized picture having pixels

The invention relates to motion estimation in a digitized picture having pixels.

Such a method is known from [1].

In the method for motion estimation from [1], pixels of a digitized block for which the motion estimation is intended to be carried out are grouped into picture blocks.

For each picture block in the picture, an attempt is made within a search area whose size can be preset to determine an area of the size of the picture block in which the similarity of the coding information which is contained in the picture block for which the motion 20 estimation is being carried out matches as well as possible.

In the following text, the term coding information 25 means brightness information (luminance values) or color information (chrominance values) which are each associated with a pixel.

For this purpose, in a preceding picture and based on the position in which the picture block is located in the preceding picture, a region of the corresponding block size with the same number of pixels as those contained in the picture block is in each case formed for each position in an area whose size (search area) can be predetermined, and the sum of the square or absolute difference of the coding information is formed between the picture block for which the motion estimation is intended to be carried out and the

20

25

30

08.11.2000, 1998P02279WO PCT/DE 99/02406 Replacement sheet 2

### ARTISA AMUT

respective region in the preceding picture. The region which matches best, that is to say has the minimum sum value, is regarded as the matching picture block and the movement in the position of the picture block between the "best" region in the preceding picture and that picture block is determined. This movement is referred to as the motion vector.

The document Oh et al "Block-matching algorithm based on dynamic adjustment of search window for low bit-rate video coding", Journal of Electronic Imaging, US, Volume 7, No. 3, July 1998, pages 571-577 describes a method for motion estimation of objects in a video sequence using a block matching algorithm, and the use of the motion vectors determined by means of this method for compression of the video data. For estimation of the motion vectors, the individual video pictures are broken down into blocks of NxN pixels. For each picture block in the current video picture, the associated, best-matching picture block in a preceding reference video picture is determined, and the sought motion vector for this picture block is determined from the difference in the position of the block in the two video pictures. The method in this case uses a search area of variable size, in which matching picture blocks are looked for within the reference video picture.

The document US-A-5 537 155 describes a method for video compression, in which motion estimation is carried out between the individual pictures in a video sequence. Motion estimation is carried out using a block matching algorithm in which the picture blocks in the present video picture are compared with picture blocks from a preceding video picture. This comparison

ART/34 AMOT

08.11.2000, 1998P02279WO PCT/DE 99/02406 Replacement sheet 2a

is carried out with a respectively different step width in different search areas. The search is carried out with a small step width around the position of the present picture block in a first search area within the comparison picture. Searches are then carried out with correspondingly larger step widths in larger areas around the present picture block.

When the corresponding video block in the comparison picture is found, this thus defines the motion vector for this block, which is then used for coding that video block.

The invention is based on the problem of providing a method and an apparatus for motion estimation in which the total number of bits required overall for coding the motion vectors is reduced.

The problem is solved by the method and by the 20 arrangement according to the features of the independent patent claims.

In the case of the method for motion estimation of a digitized picture having pixels, the pixels are grouped into picture blocks. The pixels are grouped at least into a first picture area and a second picture area. First motion estimation is carried out in a first search area for at least a first picture block in the first picture area in order to determine a first motion vector by means of which a movement of the first picture block is described in comparison to the first picture block in a preceding predecessor picture, and/or in comparison to the first picture block in a



08.11.2000, 1998P02279WO PCT/DE 99/02406 Replacement sheet 2aa

subsequent successor picture. Furthermore, second motion estimation is carried out in a second search area for at least one second picture block in the second picture area in order to determine a second motion vector by means of which a movement of the second picture block is described in comparison to the second picture block in a preceding predecessor picture and/or in comparison to the second picture block in a subsequent successor picture. The first search area and

the second search area are in this case of different sizes.

The arrangement for motion estimation of a digitized picture having pixels has a processor which is set up such that the following steps can be carried out:

- the pixels are grouped into picture blocks,
- the pixels are grouped to form at least one first picture area and one second picture area,
- 10 first motion estimation is carried out in a first search area for at least one first picture block in the first picture area in order to determine a first motion vector by means of which a movement of the first picture block is described in comparison to the first picture block in a preceding predecessor picture and/or in comparison to the first picture block in a subsequent successor picture,
- second motion estimation is carried out in a second search area for at least one second picture block in the second picture area in order to determine a second motion vector by means of which a movement of the second picture block is described in comparison to the second picture block in a preceding predecessor picture and/or in comparison to the second picture block in a subsequent successor picture, and
  - the first search area and the second search area are of different sizes.

The invention makes it possible to reduce the required data rate for transmission of compressed video data, since the size of the motion vectors can be adaptively matched to qualitative requirements and thus, without noticeably detracting from the subjective impression of the quality of a picture, only a very small search area is provided even, for example, in regions in which only low quality is required. The maximum size of a motion vector in this search area is thus relatively small,

30

35

which results in the number of bits for coding the motion vector being reduced.

The invention can evidently be seen in the fact that search areas of different size are used for picture areas for motion estimation of the picture blocks in the picture areas, which results in flexible reduction, matched to the quality, of the required data rate for coding for motion vectors.

Advantageous developments of the invention result from the dependent claims.

One development provides for the size of the first search area and/or of the second search area to be varied as a function of a predetermined picture quality, by means of which the first picture block and/or the second picture block are/is coded.

- 20 In this way, a measure for limiting the search areas is specified, which allows a reduction in the required data rate taking account of the required picture quality.
- 25 One extremely simple criterion for determining the size of the respective search area, in one development, is a quantization parameter by means of which the first picture block and/or the second picture block are/is quantized.

A further refinement provides for a number of tables, in which codes for variable length coding are stored, to be used for variable length coding of the motion vectors, and this results in a further reduction in the required data rate for transmission of the video data.

An exemplary embodiment of the invention will be explained in more detail in the following text and is illustrated in the figures, in which:

- 5 Figures 1a to 1c show a sketch of a picture and of a preceding picture, in which the principle on which the invention is based is illustrated;
  - Figure 2 shows an arrangement of two computers, a camera and a screen, by means of which the video data are coded, transmitted, decoded and displayed;
    - Figure 3 shows a sketch of an apparatus for blockbased coding of a digitized picture.
- 15 <u>Figure 2</u> shows an arrangement which comprises two computers 202, 208 and a camera 201, showing picture coding, transmission of the video data, and picture decoding.
- A camera 201 is connected to a first computer 202 via a 2.0 line 219. The camera 201 transmits pictures 204 it has filmed to the first computer 202. The first computer 202 has a first processor 203 which is connected via a bus 218 to a frame memory 205. A method for picture coding is carried out by the first processor 203 in the 25 first computer 202. In this way, coded video data 206 are transmitted from the first computer 202 via a communications link 207, preferably a cable or a radio path, to a second computer 208. The second computer 208 contains a second processor 209, which is connected to 30 a frame memory 211 via a bus 210. A method for picture decoding is carried out by means of the second processor 209.
- 35 Both the first computer 202 and the second computer 208 have a respective screen 212 or 213, on which the video data 204 are displayed. Input units, preferably a keyboard 214 or 215 and a computer mouse 216 or 217,

25

are respectively provided for both the first computer 202 and the second computer 208.

The video data 204 which are transmitted from the camera 201 via the line 219 to the first computer 202 are data in the time domain, while the data 206 which are transmitted from the first computer 202 to the second computer 208 via the communications link 207 are video data in the spectral domain.

The decoded video data are displayed on a screen 213.

Figure 3 shows a sketch of an arrangement for carrying out a block-based picture coding method in accordance 15 with the H.263 Standard (see [5]).

A video data stream to be coded and having successive digitized pictures is supplied to a picture coding unit 301. The digitized pictures are subdivided into macro 20 blocks 302, with each macro block containing 16x16 pixels. The macro block 302 comprises four picture blocks 303, 304, 305 and 306, with each picture block containing 8x8 pixels, to which luminance values (brightness values) are assigned. Furthermore, each macro block 302 comprises two chrominance blocks 307 and 308 having the chrominance values assigned to the pixels (color information, color saturation).

The block in a picture contains a luminance value (= brightness), a first chrominance value and a second 30 chrominance value. In this case, the luminance value, the first chrominance value and the second chrominance value are referred to as color values.

The picture blocks are supplied to a transformation 35 coding unit 309. During difference-picture coding, the values to be coded from picture blocks from preceding pictures are subtracted from the picture blocks to be

coded at that time, and only the difference-forming information 310 is supplied to the transformation coding unit (Discrete Cosine Transformation, DCT) 309. For this purpose, the present macro block 302 is signaled to a motion estimation unit 329 via a link 334. In the transformation coding unit 309, spectral coefficients 311 are formed for the picture blocks or difference picture blocks to be coded, and are supplied to a quantization unit 312.

10

15

Quantized spectral coefficients 313 are supplied both to a scanning unit 314 and to an inverse quantization 315 in a feedback path. Using a scanning method, for example a "zigzag" scanning method, entropy coding is carried out on the scanned spectral coefficients 332 in an entropy coding unit 316 provided for this purpose. The entropy-coded spectral coefficients are transmitted as coded video data 317 via a channel, preferably a cable or a radio path, to a decoder.

20

25

30

quantization of the quantized spectral Inverse coefficients 313 is carried out in the inverse quantization unit 315. Spectral coefficients 318 obtained in this way are supplied to an inverse transformation coding unit 319 (Inverse Discrete Cosine Transformation, IDCT). Reconstructed coding values (and difference coding values) 320 are supplied to an adder 321 in the difference-forming mode. The adder 321 also receives coding values for a picture block, which are obtained from a preceding picture once motion compensation has already been carried out. The adder 321 is used to form reconstructed picture blocks 322, which are stored in a frame memory 323.

35

Chrominance values 324 of the reconstructed picture blocks 322 are supplied from the frame memory 323 to a motion compensation unit 325. For brightness values 326, interpolation is carried out in an interpolation unit 327 provided for this purpose. The interpolation is preferably used to quadruple the number of brightness values contained in the respective picture block. All the brightness values 328 are supplied not only to the motion compensation unit 325 but also to the motion estimation unit 329. The motion estimation unit 329 also receives the picture blocks for the respective macro block (16x16 pixels) to be coded, via the link 334. Motion estimation is carried out in the motion estimation unit 329, taking account of the interpolated brightness values ("motion estimation on a half-pixel basis").

The result of the motion estimation is a motion vector 330 which expresses a movement in the position of the selected macro block from the preceding picture to the macro block 302 to be coded.

Both brightness information and chrominance information 20 relating to the macro block determined by the motion estimation unit 329 are shifted through the motion vector 330, and are subtracted from the coding values of the macro block 302 (see data path 231).

25 The motion estimation thus results in the motion vector 330 with two motion vector components, a first motion vector component  $BV_{\rm x}$  and a second motion vector component  $BV_{\rm y}$  along the first direction x and the second direction y:

$$BV = \begin{pmatrix} BV_x \\ BV_y \end{pmatrix}$$

30

The motion vector 330 is assigned to the picture block.

35 The picture coding unit shown in Figure 3 thus provides a motion vector 330 for all the picture blocks and macro picture blocks.

Figure 1a shows a digitized picture 100 which is intended to be coded using the apparatus illustrated in Figure 3.

The digitized picture 100 has pixels 101 to which coding information is assigned.

The pixels 101 are grouped into picture blocks 102. The picture blocks 102 are grouped into a first picture area 105 and into a second picture area 106.

In the following text, it is assumed that the quality requirements in the first picture area 105 are more stringent than the requirements for the quality in the second picture area 106.

Motion estimation is carried out for a first picture block 103 in the first picture area 105. To this end, a 20 first search area 114 is defined in a preceding picture and/or in a subsequent picture 110.

Based on a starting region 113 whose shape and size are the same as those of the first picture block, the following error E is in each case determined, shifted by one pixel or by a fraction or a multiple of the pixel separation (for example by half a pixel (half-pixel motion estimation)) through which the start region 113 is in each case shifted:

$$E = \sum_{i=1}^{n} \sum_{j=1}^{m} (x_{i,j} - y_{i,j})^{2}$$
,

Where

30

35 - i, j are sequential indices,

15

25

30

- n is the number of pixels in the first picture block along a first direction,
- m is the number of pixels in the first picture block along a second direction,
- $x_{1,1}$  is coding information for the pixel at the position i,j within the first picture block,
  - y, is coding information for the pixel at the corresponding point in the previous picture, shifted through the corresponding motion vector.

The error E is calculated for each shift in the previous picture 110 and the picture block from that shift (= motion vector) whose error E has the lowest value is selected as that which is most similar to the first picture block 103.

In this exemplary embodiment, the search area in each case covers four pixel intervals, both in the horizontal direction and in the vertical direction, 20 about a start position 113 which corresponds to the relative position of the first picture block of the first picture area in the preceding picture 110. The maximum size of a first motion vector 117 to be coded is thus  $4\sqrt{2}$  pixel intervals in this case (see Figure 1b).

Figure 1c shows second motion estimation for a second picture block 104 in the second picture area 106. The fundamental procedure for the purposes of motion estimation is also described as above for the second motion estimation.

For the second motion estimation, a second search area 116 is smaller, since the requirements for the picture quality in the second picture area 106 are not as 35 stringent as those for the first picture area 105.

For this reason, the size of the second search area 116 is only two pixels 116 in each direction, originating from a start position 115. The maximum size of a second motion vector 118 to be coded for the second picture block 104 is thus  $2\sqrt{2}$ .

It can be seen from this example that considerably less computation effort is required for coding the second motion vector 118 than for coding the first motion vector 117.

Based on this illustrative example, the size of a search area for a picture block in the exemplary embodiment is dependent on a quantization parameter which indicates the quantization steps which were used to code the preceding picture 100.

The size S of a search area is obtained using the following rule:

20

1.0

S = 15 - QP/2

where

25 - S is the size of the search area, andOP is the quantization parameter.

The quantization parameter QP is a factor contained in the normal header data for H.263, and is used as the start value for the quantization.

The size S of the search area for a picture block thus becomes larger the smaller the quantization parameter OP, which corresponds to high picture quality.

35

30

A number of tables, which contain different codes for motion vectors of different length with a different

value range, are used for variable length coding of the motion vectors.

- The quantization parameter QP is used to select that table for variable length coding whose table entries for the variable length codes have a value range which is matched to the size S of the search area, and thus to the maximum length of the motion vector.
- 10 A number of alternatives to the exemplary embodiment described above are explained below.

The type of motion estimation, and thus the way in which the similarity measure is formed, are irrelevant 15 to the invention.

Thus, for example, the following rule can also be used to form the error E:

20 
$$E = \sum_{i=1}^{n} \sum_{j=1}^{m} |x_{i,j} - y_{i,j}|.$$

It has furthermore been shown that, for further reduction of the required data rate, it is in many cases even sufficient to transmit only the motion vectors without also transmitting an error signal which 25 is produced during the formation of the difference pictures for motion compensation.

The invention can evidently be seen in the fact that 30 search areas of different size are used for picture areas for motion estimation of the picture blocks in the picture areas, which results in a flexible reduction, matched to the quality, in the required data rate for coding of the motion vectors.

The following publication is cited in this document:

[1] ITU-T Draft Recommendation H.263, Video Coding for Low Bitrate Communication, May, 1996.

5

Patent Claims

5

1.5

20

25

image having pixels,

# 1. A method for motion estimation in a digitized

- in which the pixels are grouped in picture blocks,
  - in which the pixels are grouped to form at least one first picture area and one second picture area.
  - in which first motion estimation is carried out in a first search area for at least one first picture block in the first picture area in order to determine a first motion vector by means of which a movement of the first picture block is described in comparison to the first picture block in a preceding predecessor picture and/or in comparison to the first picture block in a subsequent successor picture,
    - in which second motion estimation is carried out in a second search area for at least one second picture block in the second search area in order to determine a second motion vector by means of which a movement of the second picture block is described in comparison to the second picture block in a preceding predecessor picture and/or in comparison to the second picture block in a subsequent successor picture,
    - in which the first search area and the second search area are of different sizes, and
- in which the size of the first search area and/or of the second search area is varied as a function of a predetermined picture quality, by means of which the first picture block and/or the second picture block are/is coded.

35

The method as claimed in claim 1,

20

characterized in that the size of the first search area and/or of the second search area are/is varied as a function of a quantization parameter by means of which the first picture block and/or the second picture block are/is quantized.

- The method as claimed in one of claims 1 to 2, used for coding the digitized picture.
- 10 4. The method as claimed in claim 3,

   in which variable length coding of the motion vectors is carried out,

   in which a number of stored, different tables, in which codes for variable length coding are stored, are used for variable length coding.
  - 5. The method as claimed in claim 4, characterized in that the tables are matched to the maximum length of the motion vectors.
  - 6. An arrangement for motion estimation in a digitized picture having pixels, having a processor which is set up such that the following steps can be carried out:
- 25 the pixels are grouped into picture blocks,
  - the pixels are grouped to form at least one first picture area and one second picture area,
- first motion estimation is carried out in a first search area for at least one first picture 30 block in the first picture area in order to determine a first motion vector by means of which a movement of the first picture block is described in comparison to the first picture block in a preceding predecessor picture and/or in comparison
- preceding predecessor picture and/or in comparison to the first picture block in a subsequent successor picture,

08.11.2000, 1998P02279WO PCT/DE 99/02406

## ARTA34 AMOT

- second motion estimation is carried out in a second search area for at least one second picture block in the second picture area in order to determine a second motion vector by means of which a movement of the second picture block is described in comparison to the second picture block in a preceding predecessor picture and/or in comparison to the second picture block in a subsequent successor picture,
- the first search area and the second search area are of different sizes, and
  - wherein the processor is set up such that the size of the first search area and/or of the second search area are/is varied as a function of a predetermined picture quality by means of which the first picture block and/or the second picture block are/is coded.
- 7. The arrangement as claimed in claim 6,

  wherein the processor is set up such that the size
  of the first search area and/or of the second
  search area are/is varied as a function of a
  quantization parameter by means of which the first
  picture block and/or the second picture block
  are/is quantized.
  - The arrangement as claimed in one of claims 6 or 7, used in a picture coding device.
- 30 9. The arrangement as claimed in one of claims 6 or 7, used in a picture coding device, wherein the processor is set up such that variable length coding of the motion vectors is carried out.

08.11.2000, 1998P02279W0 PCT/DE 99/02406




- a number of stored, different tables, in which codes for variable length coding are stored, are used for variable length coding.
- 5 10. The arrangement as claimed in claim 9, characterized in that the processor is set up such that the tables are matched to the maximum length of the motion vectors.


#### Abstract


# Method and arrangement for motion estimation in a digitized picture having pixels


The pixels are grouped into picture blocks. The pixels are grouped into at least a first picture area and a second picture area. First motion estimation is carried out in a first search area in order to determine a first motion vector. Furthermore, second motion estimation is carried out in a second search area in order to determine a second motion vector. The first search area and the second search area are of different sizes.

Significant Figures la - 1c














DIKE, BRONSTEIN, ROBERTS & CUSHMAN INTELLECTUAL PROPERTY GROUP OF EDWARDS & ANGELL, LLP 130 Water Street Boston, Massachusetts 02109

which is described and claimed in:

<u>2001.</u> ☑

DE 198 35 845.8

the specification attached hereto.

Docket No. 45107/55595

Page 1 of 4

#### DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: METHOD AND ARRANGEMENT FOR MOTION ESTIMATION IN DIGITIZED PICTURE HAVING PIXELS

the specification in U.S. Application Serial Number \_\_\_\_\_\_, filed on \_7 February

the specification in PCT international application Number, PCT/DE99/02406

August 2, 1999

; and was amended on

Learney state that I have reviewed and understand the contents of the above identified

decification, including the claims, as amended by any amendment referred to above. I convolvedge the duty to disclose information which is material to the examination of this opplication in accordance with Title 37, Code of Federal Regulations, §1.56(a). I hereby claim preign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for altent or inventor's certificate listed below and have also identified below any foreign application in patent or inventor's certificate having a filing date before that of the application on which mority is claimed.						
Prior Foreign/PCT Applications and Any Priority Claims Under 35 U.S.C. §119:						
Application No.	Filing Date	Country	Priority Claimed Under 35 U.S.C. §119?			

Germany \_

August 7, 1998 /

I hereby claim the benefit under 35 U.S.C. §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below, and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose material information as defined in 37 CFR §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Prior U.S. Applications or PCT International Applications Designating the U.S-Benefit

	U.S. Applica	Status (Check One)			
Application Serial No. U.S. Filing Date F				Pending	Abandoned
PCT	Applications Desi	gnating the U.S.			
Application	Filing Date	U.S. Serial No. Assigned			
PCT/DE99/ 02406 _	August 2, 1999_			х	
4					

# CLAIM FOR BENEFIT OF PRIOR U.S. PROVISIONAL APPLICATION(S) (35 U.S.C. §119(e))

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below:

Applicant	Provisional Application Number	Filing Date
4.		

**POWER OF ATTORNEY:** As a named inventor, I hereby appoint the following attorney(s) with full powers of association, substitution and revocation to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

DUSINESS IN David G. Conlin George W. Neuner Linda M. Buckley Peter F. Corless Peter J. Manus (Reg. No. 27,026) (Reg. No. 26,964) (Reg. No. 31,003) (Reg. No. 33,860) (Reg. No. 26,766) Cara Z. Lowen (Reg. No. 38,227)
William J. Daley, Jr. (Reg. No. 35,487)
Robert L. Buchanan (Reg. No. 40,927)

Robert L. Buchanan (Reg. No. 40,927)
Christine C. O'Day (Reg. No. 38,256)
Lisa Hazzard Swiszcz (Reg. No. 44,368)

David A. Tucker George W. Hartnell, III Kerri Pollard Schray Steven M. Jensen (Reg. No. 27,840) (Reg. No. 42,639) (Reg. No. 47,066) (Reg. No. 42,693)

#### SEND CORRESPONDENCE TO:

Peter F. Corless

Dike, Bronstein, Roberts & Cushman Intellectual Property Practice Group Edwards & Angell, LLP

130 Water Street

Boston, Massachusetts 02109

#### DIRECT TELEPHONE CALLS TO:

Peter F. Corless (617) 523-3400

	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME
,	OF INVENTOR	PANDEL	Jürgen	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
ì	CHEENSHIP	Feldkirchen-Westerham	Germany DEX	Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	спу	STATE OR COUNTRY AND ZIP CODE
	III DI LIBO	Ölbergring 36	Feldkirchen-Westerham	83620 GERMANY
	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME
2	0	BÄSE	Gero	
٠.	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
		München	Germany DEX	Germany/
٠	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY AND ZIP CODE
		Thalkirchner Str. 184	München	81371 Germany
	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME
<u>,</u>		ÖRTEL	Norbert	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
		München	Germany DEX	Germany ~
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY AND ZIP CODE
Mil.		Unterhachinger Str. 4	München	81737 Germany
	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME
ir.				
I	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
6.0				
	POST OFFICE ADDRESS	POST OFFICE ADDRÉSS	CITY	STATE OR COUNTRY AND ZIP CODE
2				
a 4 a	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME
=				
-	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY AND ZIP CODE
	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
1				
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY AND ZIP CODE

I hereby further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Signature of Inventor 201	Signature of Inventor 202
Jürgen Pandel Date: > 07 May 2001	Gero BÄSE - Date 37 Kay 2001 A C
Signature of Inventor 203	Signature of Inventor 204
Norbert ÖRTEI// Date: X 09 May LOU /	Date:
Signature of Inventor 205	Signature of Inventor 206
Pate:	Date: